

# STOCK CRANE DIRECTORY



# STOCK CRANE DIRECTORY CRANES

## CRANES

### OVERVIEW

As a global partner for innovative and reliable deck and lifesaving equipment, PALFINGER MARINE supplies high-quality products to fulfil standardised and customised demands.

Marine, offshore and wind cranes by PALFINGER MARINE are designed to meet safety standards and extreme environmental conditions of the maritime industry. The extensive range of AHC cranes, foldable knuckle boom cranes, knuckle boom cranes, stiff boom and telescopic boom cranes as well as wire luffing lattice boom and travelling cranes can be used for various applications within the shipbuilding, oil and gas and offshore wind industry. Decades of worldwide experience in producing cranes is the basis for the company's technical expertise, innovative strength and uncompromising quality.

STOCK CRANE  
DIRECTORY  
FOLDABLE KNUCKLE  
BOOM CRANES

OVERVIEW

NO STOCK CRANE AVAILABLE

FOLDABLE KNUCKLE  
BOOM CRANES

STOCK CRANE  
DIRECTORY  
STIFF BOOM  
CRANES

OVERVIEW

STIFF BOOM CRANES

# STOCK CRANE DIRECTORY

## DKD 300

SERIAL NUMBER L962A

### TECHNICAL DATA


#### TECHNICAL DATA DKD 300 (L962A)

|                       |                        |
|-----------------------|------------------------|
| Max. lifting capacity | 8 t                    |
| Max. outreach         | 30 m                   |
| Drive system          | Diesel-hydraulic drive |
| Zone classification   | ATEX Zone 1 / Zone 2   |
| Dead weight           | 52.88 t                |

#### GA DRAWING



# DKD 300 SERIAL NUMBER L962A



STOCK  
DIRECT  
DKD

SERIAL NUMBER

CRANES

FOLDABLE  
BOOM CRANES

STIFF BOOM

TELESCOPIC  
CRANES

KNUCKLE  
CRANES

WIRE LUFFING  
CRANES



DREGER

DKD 300 SWL: OFFSHORE: 8T-20M / 4T - 30M Hs=0.9  
INTERNAL: 8T-26M / 5T - 30M

# STOCK CRANE DIRECTORY DKD 300

SERIAL NUMBER L962A

## TERMS & CONDITIONS

**ON STOCK:**

- 2 units

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Poland

**CONTACT:**

PALFINGER MARINE NORWAY AS  
Nesttunbrekka 97  
5221 Nesttun | Norway

T: +47 55 3336 50

# STOCK CRANE DIRECTORY

## DK 300

SERIAL NUMBER L978A

### TECHNICAL DATA


#### TECHNICAL DATA DK 300 (L978A)

|                       |                         |
|-----------------------|-------------------------|
| Max. lifting capacity | 15 t                    |
| Max. outreach         | 16 m                    |
| Drive system          | Electro-hydraulic drive |
| Zone classification   | Safe / ATEX Zone 2      |
| Dead weight           | 42 t                    |

#### GA DRAWING



DK 300 SERIAL NUMBER L978A



# STOCK CRANE DIRECTORY DK 300

SERIAL NUMBER L978A

## TERMS & CONDITIONS

**ON STOCK:**

- 2 units

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Bergen (Norway)

**CONTACT:**

PALFINGER MARINE NORWAY AS  
Nesttunbrekka 97  
5221 Nesttun | Norway

T: +47 55 3336 50

# STOCK CRANE DIRECTORY

## DK 160

SERIAL NUMBER L959A

### TECHNICAL DATA


#### TECHNICAL DATA DK 160 (L959A)

|                       |                         |
|-----------------------|-------------------------|
| Max. lifting capacity | 6 t                     |
| Max. outreach         | 30 m                    |
| Drive system          | Electro-hydraulic drive |
| Zone classification   | ATEX Zone 1 / Zone 2    |
| Dead weight           | 36.6 t                  |

#### GA DRAWING



# DK 160 SERIAL NUMBER L959A



# STOCK CRANE DIRECTORY DK 160

SERIAL NUMBER L959A

## TERMS & CONDITIONS

**ON STOCK:**

- 1 unit

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Bergen (Norway)

**CONTACT:**

PALFINGER MARINE NORWAY AS  
Nesttunbrekka 97  
5221 Nesttun | Norway

T: +47 55 3336 50

# STOCK CRANE DIRECTORY

## DK 160

SERIAL NUMBER L961A

### TECHNICAL DATA



#### TECHNICAL DATA DK 160 (L961A)

|                       |                         |
|-----------------------|-------------------------|
| Max. lifting capacity | 6 t                     |
| Max. outreach         | 16 m                    |
| Drive system          | Electro-hydraulic drive |
| Zone classification   | ATEX Zone 1 / Zone 2    |
| Dead weight           | 30.7 t                  |

#### GA DRAWING



DK 160 SERIAL NUMBER L961A



STOCK  
DIRECT  
DK 160

SERIAL NUMBER

CRANES

FOLDABLE  
BOOM CRANES

STIFF BOOM

TELESCOPIC  
CRANES

KNUCKLE  
CRANES

WIRE LUFFING  
CRANES

DREGGEN

OFFSHORE PEDESTAL CRANE  
DK160 6T/16M

CONTRACT No.  
DRAWING NUMBER

# STOCK CRANE DIRECTORY DK 160

SERIAL NUMBER L961A

## TERMS & CONDITIONS

**ON STOCK:**

- 1 unit

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Bergen (Norway)

**CONTACT:**

PALFINGER MARINE NORWAY AS  
Nesttunbrekka 97  
5221 Nesttun | Norway

T: +47 55 3336 50

**STOCK CRANE  
DIRECTORY**  
**TELESCOPIC  
BOOM CRANES**

OVERVIEW

TELESCOPIC BOOM  
CRANES

# STOCK CRANE DIRECTORY PTM 900

TECHNICAL DATA

TECHNICAL DATA PTM 900

|                    |                               |
|--------------------|-------------------------------|
| Lifting capacity   | 5000kg@15m                    |
| Slewing angle      | adjustable slewing limitation |
| Operating pressure | 280 bar                       |
| Pump capacity      | 100 l/min                     |

GA DRAWING



# PTM 900



STOCK  
DIRE  
PTM

CRANES




FOLDABLE  
BOOM CRA

STIFF BOO

TELESCOP  
CRANES

KNUCKLE  
CRANES

WIRE LUFF  
CRANES



# STOCK CRANE DIRECTORY PTM 900

## MAIN CHARACTERISTICS

- SWL 5000kg@15m
- Classification according to EN13001 HC2/HD4 S2

### PAINTING:

- Special sea water resistant 3-layer marine paint finish, RAL 5013 (Cobalt Blue), minimum total dry thickness 240 micron
- Conservation of indoor space

### SAFETY DEVICE:

- Emergency cut-off
- Overload Protection

### WINCH:

- Fully hydraulic rope winch with capacity of 6,5 tons
- Single line hook block (incl. rope weight and hook)

### HYDRAULIC SYSTEM:

- High quality Rexroth variable flow pump
- High pressure filter
- Fully proportional marine specification control valve
- Hydraulic tank incorporated in the crane column
- Stainless steel hydraulic pipes
- Stainless steel hose and pipe fittings, metric version acc. DIN 2353

# STOCK CRANE DIRECTORY PTM 900

TERMS & CONDITIONS

**ON STOCK:**

- 1 unit

**AVAILABILITY:**

- Available within 2-4 weeks

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Maribor (SLO)

**CONTACT:**

PALFINGER MARINE GMBH  
F.-W.-Scherer-Strasse 24  
5020 Salzburg | Austria

STOCK CRANE  
DIRECTORY  
KNUCKLE  
BOOM CRANES

OVERVIEW

KNUCKLE BOOM  
CRANES

# STOCK CRANE DIRECTORY PKM 1150

TECHNICAL DATA




TECHNICAL DATA PKM 1150

|                    |                               |
|--------------------|-------------------------------|
| Lifting capacity   | 12.000kg@10m, 9.000kg@14m     |
| Slewing angle      | adjustable slewing limitation |
| Operating pressure | 260 bar                       |
| Pump capacity      | 170 l/min                     |

GA DRAWING



# PKM 1150



STOCK  
DIRECT  
PKM

CRANES

FOLDABLE  
BOOM CRANES

STIFF BOOM

TELESCOPIC  
CRANES

KNUCKLE  
CRANES

WIRE LUFF  
CRANES

IGER



# STOCK CRANE DIRECTORY PKM 1150

## MAIN CHARACTERISTICS

- 12.000kg@10m, 9.000kg@14m
- Classification according to EN13001 HC2/HD4 S2

### PAINTING:

- Special sea water resistant 3-layer marine paint finish, RAL 7035 (Light Grey), minimum total dry thickness 240 micron
- Conservation of indoor space

### SAFETY DEVICE:

- Emergency cut-off
- Overload Protection

### WINCH:

- Fully hydraulic rope winch with capacity of 12 tons
- Single line hook block (incl. rope weight and hook)

### HYDRAULIC SYSTEM:

- High quality Rexroth variable flow pump
- High pressure filter
- Fully proportional marine specification control valve
- Hydraulic tank incorporated in the crane column
- Stainless steel hydraulic pipes
- Stainless steel hose and pipe fittings, metric version acc. DIN 2353

# STOCK CRANE DIRECTORY

## PKM 1150

TERMS & CONDITIONS

**ON STOCK:**

- 1 unit

**AVAILABILITY:**

- Available within 2-4 weeks

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Maribor (SLO)

**CONTACT:**

PALFINGER MARINE GMBH  
F.-W.-Scherer-Strasse 24  
5020 Salzburg | Austria

**STOCK CRANE  
DIRECTORY**  
**WIRE LUFFING  
CRANES**

OVERVIEW

WIRE LUFFING  
CRANES

# STOCK CRANE DIRECTORY DKW 2000

SERIAL NUMBER L1017A

## TECHNICAL DATA

### TECHNICAL DATA DKW 2000

|                       |                        |
|-----------------------|------------------------|
| Max. lifting capacity | 60 t                   |
| Max. outreach         | 46.7 m                 |
| Drive system          | Diesel-hydraulic drive |
| Zone classification   | ATEX Zone 2            |
| Dead weight           | 168 t                  |

### GA DRAWING



DKW 2000 SERIAL NUMBER L1017A



STOCK  
DIRECT  
DKW  
SERIAL NUM

CRANES



FOLDABLE  
BOOM CRA

STIFF BOO

TELESCOP  
CRANES

KNUCKLE  
CRANES

WIRE LUFF  
CRANES



# STOCK CRANE DIRECTORY DKW 2000

SERIAL NUMBER L1017A

## TERMS & CONDITIONS

**ON STOCK:**

- 1 unit

**PRICE:**

- On request

**PLACE OF STORAGE:**

- Poland

**CONTACT:**

PALFINGER MARINE NORWAY AS  
Nesttunbrekka 97  
5221 Nesttun | Norway  
E:  
T: +47 55 3336 50